

Stockport NHS Foundation Trust

Taking Organ Transplantation to 2020

In 2017/18, from 6 consented donors the Trust facilitated 5 actual solid organ donors resulting in 8 patients receiving a life-saving or life-changing transplant.


In addition to the 5 proceeding donors there was one additional consented donor that did not proceed.

Best quality of care in organ donation

Referral of potential deceased organ donors

Goal: Every patient who meets the referral criteria should be identified and referred to NHS Blood and Transplant's Organ Donation Service

Aim: There should be no purple on the chart



Patients not referred Patients referred


The Trust referred 12 potential organ donors during 2017/18. There were 2 occasions where potential organ donors were not referred.



Presence of Specialist Nurse for Organ Donation

Goal: A Specialist Nurse for Organ Donation (SNOD) should be present during every organ donation discussion with families

Aim: There should be no purple on the chart



SNOD not present SNOD present

A SNOD was present for 6 organ donation discussions with families during 2017/18. There was 1 occasion where a SNOD was not present.

Why it matters

• If suitable patients are not referred, the patient's decision to be an organ donor is not honoured or the family does not get the chance to support organ donation.

• The consent rate in the UK is much higher when a SNOD is present.

• The number of patients receiving a life-saving or life-changing solid organ transplant in the UK is increasing but patients are still dying while waiting.

	North West*	UK	
1 April 2017 - 31 March 2018			
Deceased donors	218	1,574	
Transplants from deceased donors	467	4,012	
Deaths on the transplant list	53	426	
As at 31 March 2018			
Active transplant list	575	6,045	
Number of NHS ODR opt-in registrations (% registered)**	2,560,422 (36%)	24,941,804 (38%)	
Number of NHS ODR opt-in registrations (% registered)**	2,560,422 (36%)	24,941,804 (38%)	



Further information

Further information on potential donors after brain death (DBD) and potential donors after circulatory death (DCD) at the Trust are shown below, including a UK comparison.

Key numbers comparison with UK data, 1 April 2017 - 31 March 2018

	DBD		DCD	CD	Deceased donor	
	Trust	UK	Trust	UK	Trust	UK
Patients meeting organ donation referral criteria ¹	3	1954	12	6281	14	7978
Referred to Organ Donation Service	2	1929	10	5615	12	7302
Referral rate %		99%		89%		92%
Neurological death tested	2	1676				
Testing rate %		86%				
Eligible donors ²	2	1582	11	4456	13	6038
Family approached	2	1471	5	1858	7	3329
Family approached and SNOD present	1	1394	5	1591	6	2985
% of approaches where SNOD present		95%		86%		90%
Consent ascertained	1	1066	5	1115	6	2181
Consent rate %		72%		60%		66%
Actual donors (PDA data)	1	955	4	613	5	1568
% of consented donors that became actual donors		90%		55%		72%

DCD - A patient in whom imminent death is anticipated, ie a patient receiving assisted ventilation, a clinical decision to withdraw treatment has been made and death is anticipated within 4 hours

² DBD - Death confirmed by neurological tests and no absolute contraindications to solid organ donation DCD - Imminent death anticipated and treatment withdrawn with no absolute contraindications to solid organ donation

Note that a patient that meets both the referral criteria for DBD and DCD organ donation is featured in both the DBD and DCD data but will only be counted once in the deceased donors total

For further information, including definitions, see the latest Potential Donor Audit report at www.odt.nhs.uk/statistics-and-reports/potential-donor-audit/