

Aintree University Hospitals NHS Foundation Trust

Taking Organ Transplantation to 2020

In 2017/18, from 12 consented donors the Trust facilitated 8 actual solid organ donors resulting in 23 patients receiving a life-saving or life-changing transplant.


In addition to the 8 proceeding donors there were 4 additional consented donors that did not proceed.

Best quality of care in organ donation

Referral of potential deceased organ donors

Goal: Every patient who meets the referral criteria should be identified and referred to NHS Blood and Transplant's Organ Donation Service

Aim: There should be no purple on the chart




The Trust referred 58 potential organ donors during 2017/18. There were 10 occasions where potential organ donors were not referred.



Presence of Specialist Nurse for Organ Donation

Goal: A Specialist Nurse for Organ Donation (SNOD) should be present during every organ donation discussion with families

Aim: There should be no purple on the chart



A SNOD was present for 18 organ donation discussions with families during 2017/18. There were 2 occasions where a SNOD was not present.

Why it matters

- If suitable patients are not referred, the patient's decision to be an organ donor is not honoured or the family does not get the chance to support organ donation.
- The consent rate in the UK is much higher when a SNOD is present.
- The number of patients receiving a life-saving or life-changing solid organ transplant in the UK is increasing but patients are still dying while waiting.

	North West*	UK				
April 2017 - 31 March 2018						
Deceased donors	218	1,574				
ransplants from deceased donors	467	4,012				
Deaths on the transplant list	53	426				
As at 31 March 2018						
Active transplant list	575	6,045				
Number of NHS ODR opt-in registrations (% registered)**	2,560,422 (36%)	24,941,804 (38%)				
Regions have been defined as per former Strategic Health Authoritie	es					



Further information

Further information on potential donors after brain death (DBD) and potential donors after circulatory death (DCD) at the Trust are shown below, including a UK comparison.

Key numbers comparison with UK data, 1 April 2017 - 31 March 2018

	DI	3D	D	CD	Decease	d donors
	Trust	UK	Trust	UK	Trust	UK
Patients meeting organ donation referral criteria1	13	1954	60	6281	68	7978
Referred to Organ Donation Service	13	1929	50	5615	58	7302
Referral rate %		99%		89%		92%
Neurological death tested	8	1676				
Testing rate %		86%				
Eligible donors ²	8	1582	47	4456	55	6038
Family approached	8	1471	12	1858	20	3329
Family approached and SNOD present	8	1394	10	1591	18	2985
% of approaches where SNOD present		95%		86%		90%
Consent ascertained	8	1066	6	1115	14	2181
Consent rate %		72%		60%		66%
Actual donors (PDA data)	6	955	2	613	8	1568
% of consented donors that became actual donors		90%		55%		72%

¹ DBD - A patient with suspected neurological death

Note that a patient that meets both the referral criteria for DBD and DCD organ donation is featured in both the DBD and DCD data but will only be counted once in the deceased donors total

For further information, including definitions, see the latest Potential Donor Audit report at www.odt.nhs.uk/statistics-and-reports/potential-donor-audit/

DCD - A patient in whom imminent death is anticipated, ie a patient receiving assisted ventilation, a clinical decision to withdraw treatment has been made and death is anticipated within 4 hours

² DBD - Death confirmed by neurological tests and no absolute contraindications to solid organ donation

DCD - Imminent death anticipated and treatment withdrawn with no absolute contraindications to solid organ donation