

NHS Lanarkshire

Taking Organ Transplantation to 2020

In 2017/18, from 9 authorised donors the Board facilitated 7 actual solid organ donors resulting in 19 patients receiving a life-saving or life-changing transplant.

In addition to the 7 proceeding donors there were 2 additional authorised donors that did not proceed.


Best quality of care in organ donation

Referral of potential deceased organ donors

Goal: Every patient who meets the referral criteria should be identified and referred to NHS Blood and Transplant's Organ Donation Service

Aim: There should be no purple on the chart

Aim: The Board (marked with a cross) should fall within Bronze, Silver, or Gold



The Board referred 26 potential organ donors during 2017/18. There was 1 occasion where a potential organ donor was not referred.

When compared with UK performance, the Board was average (bronze) for referral of potential organ donors to NHS Blood and Transplant.




Presence of Specialist Nurse for Organ Donation

Goal: A Specialist Nurse for Organ Donation (SNOD) should be present during every organ donation discussion with families

Aim: There should be no purple on the chart

Aim: The Board (marked with a cross) should fall within Bronze, Silver, or Gold



A SNOD was present for 14 organ donation discussions with families during 2017/18. There were 2 occasions where a SNOD was not present.

When compared with UK performance, the Board was average (bronze) for SNOD presence when approaching families to discuss organ donation.

Why it matters

- If suitable patients are not referred, the patient's decision to be an organ donor is not honoured or the family does not get the chance to support organ donation.
- The authorisation rate in the UK is much higher when a SNOD is present.
- The number of patients receiving a life-saving or life-changing solid organ transplant in the UK is increasing but patients are still dying while waiting.

| Regional donors, transplants, waiting list, and NHS Organ Donor Register (ODR) data | | | | | | | | |
|--|-----------------|------------------|--|--|--|--|--|--|
| | Scotland* | UK | | | | | | |
| 1 April 2017 - 31 March 2018 | | | | | | | | |
| Deceased donors | 102 | 1,574 | | | | | | |
| Transplants from deceased donors | 375 | 4,012 | | | | | | |
| Deaths on the transplant list | 38 | 426 | | | | | | |
| As at 31 March 2018 | | | | | | | | |
| Active transplant list | 534 | 6,045 | | | | | | |
| Number of NHS ODR opt-in registrations (% registered)** | 2,486,216 (46%) | 24,941,804 (38%) | | | | | | |
| *Regions have been defined as per former Strategic Health Authoritie ** % registered based on population of 5.37 million, based on ONS 2 | | | | | | | | |



Further information

Further information on potential donors after brain death (DBD) and potential donors after circulatory death (DCD) at the Board are shown below, including a UK comparison.

| | DBD | | | DCD | | | Deceased donors | | |
|--|---------------|------------------------|--------------------|--------------------|----------|-------------------|-----------------|-----|------|
| | Board | | UK | Board 18 | | UK 6281 | Board | | UK |
| Patients meeting organ donation referral criteria ¹ | 9 | | 1954 | | | | | 27 | 7978 |
| Referred to Organ Donation Service | | 9 | 1929 | | 17 | 5615 | | 26 | 7302 |
| Referral rate % | G | 100% | 99% | В | 94% | 89% | В | 96% | 92% |
| Neurological death tested | | 9 | 1676 | | | | | | |
| Festing rate % | G | 100% | 86% | | | | | | |
| Eligible donors ² | | 9 | 1582 | | 16 | 4456 | | 25 | 6038 |
| Family approached | | 9 | 1471 | | 7 | 1858 | | 16 | 3329 |
| amily approached and SNOD present | | 9 | 1394 | | 5 | 1591 | | 14 | 298 |
| % of approaches where SNOD present | G | 100% | 95% | В | 71% | 86% | В | 88% | 90% |
| Authorisation ascertained | | 8 | 1066 | | 1 | 1115 | | 9 | 2181 |
| Authorisation rate % | В | 89% | 72% | Α | 14% | 60% | В | 56% | 66% |
| Actual donors (PDA data) | | 7 | 955 | | 0 | 613 | | 7 | 1568 |
| % of authorised donors that became actual donors | | 88% | 90% | | 0% | 55% | | 78% | 72% |
| DBD - A patient with suspected neurological death DCD - A patient in whom imminent death is anticipated, withdraw treatment has been made and death is anticipated. DBD - Death confirmed by neurological tests and no ab DCD - Imminent death anticipated and treatment withdraw | ated solut | within 4 e contrain | hours dications | to soli | id organ | donation | | |) |

Gold Silver Bronze Amber Red

For further information, including definitions, see the latest Potential Donor Audit report at www.odt.nhs.uk/statistics-and-reports/potential-donor-audit/