

Frimley Health NHS Foundation Trust

Taking Organ Transplantation to 2020

In 2017/18, from 15 consented donors the Trust facilitated 10 actual solid organ donors resulting in 25 patients receiving a life-saving or life-changing transplant.

In addition to the 10 proceeding donors there were 5 additional consented donors that did not proceed.


Best quality of care in organ donation

Referral of potential deceased organ donors

Goal: Every patient who meets the referral criteria should be identified and referred to NHS Blood and Transplant's Organ Donation Service

Aim: There should be no purple on the chart

Aim: The Trust (marked with a cross) should fall within Bronze, Silver, or Gold



The Trust referred 64 potential organ donors during 2017/18. There were 5 occasions where potential organ donors were not referred.

When compared with UK performance, the Trust was average (bronze) for referral of potential organ donors to NHS Blood and Transplant.




Presence of Specialist Nurse for Organ Donation

Goal: A Specialist Nurse for Organ Donation (SNOD) should be present during every organ donation discussion with families

Aim: There should be no purple on the chart

Aim: The Trust (marked with a cross) should fall within Bronze, Silver, or Gold



A SNOD was present for 27 organ donation discussions with families during 2017/18. There were no occasions where a SNOD was not present.

When compared with UK performance, the Trust was exceptional (gold) for SNOD presence when approaching families to discuss organ donation.

Why it matters

- If suitable patients are not referred, the patient's decision to be an organ donor is not honoured or the family does not get the chance to support organ donation.
- The consent rate in the UK is much higher when a SNOD is present.
- The number of patients receiving a life-saving or life-changing solid organ transplant in the UK is increasing but patients are still dying while waiting.

86	1 574
86	1 574
86	
	1,574
224	4,012
14	426
334	6.045
	24,941,804 (38%)
	14 334 1,993,087 (43%)



Further information

Further information on potential donors after brain death (DBD) and potential donors after circulatory death (DCD) at the Trust are shown below, including a UK comparison.

	DBD			DCD			Deceased donors		
	Trust		UK	Trust		UK	Trust		UK
Patients meeting organ donation referral criteria1		15	1954		56	6281		69	7978
Referred to Organ Donation Service		15	1929		51	5615		64	7302
Referral rate %	G	100%	99%	В	91%	89%	В	93%	92%
Neurological death tested		13	1676						
esting rate %	В	87%	86%						
Eligible donors ²		13	1582		37	4456		50	6038
amily approached		13	1471		14	1858		27	3329
amily approached and SNOD present		13	1394		14	1591		27	298
6 of approaches where SNOD present	G	100%	95%	G	100%	86%	G	100%	90%
Consent ascertained		8	1066		8	1115		16	218
Consent rate %	В	62%	72%	В	57%	60%	В	59%	66%
ctual donors (PDA data)		8	955		2	613		10	1568
% of consented donors that became actual donors		100%	90%		25%	55%		63%	72%
DBD - A patient with suspected neurological death DCD - A patient in whom imminent death is anticipated withdraw treatment has been made and death is anticipated. DBD - Death confirmed by neurological tests and no about	ated osolut	within 4 e contrair	hours	to sol	id organ				0

Gold Silver Bronze Amber Red

For further information, including definitions, see the latest Potential Donor Audit report at www.odt.nhs.uk/statistics-and-reports/potential-donor-audit/