

Baron. D et al. Preoperative anaemia is associated with poor outcomes in non-cardiac surgical patients. British Journal of Anaesthesia (2014) doi: 10.1093/bja/aeu098

Carrascal Y et al. Impact of preoperative anaemia on cardiac surgery in octogenarians Interactive Cardiovascular and Thoracic Surgery 10 (2010) 249–255

Cladellas M, Jordi Bruguera J et al. Is pre-operative anaemia a risk marker for in-hospital mortality and morbidity after valve replacement? European Heart Journal (2006) 27, 1093–1099

Clevenger B, Richards T. Pre-operative anaemia. Anaesthesia (2015) 70 (suppl. 1), 20-28

Conlon NP, Bale EP, Herbison GP, McCarroll M. Postoperative anaemia and quality of life after primary hip arthroplasty in patients over 65 years old. Anaesthesia Analg 2008; 106: 1056–61

Everhart JS, Calhoun JH. Ohio State University, Columbus, OH Everhart JS, Calhoun JH. Ohio State University, Columbus, OH Preoperative Anaemia of Chronic Disease is a Strong Independent Risk Factor for Surgical Site Infection after Total Joint Arthroplasty. <http://www.msis-na.org/annual-meetings/2013-annual-meeting/2013-program/320-preoperative-anemia-of-chronic-disease/>

Freedman J (2014) The ONTrac Ontario program in blood conservation. Transfusion and Apheresis Science 50 (2014) 32-36

Freedman J (2014) Transfusion- Whence and why. Transfusion and Apheresis Science 50 (2014) 5-9

Goodnough L et al. Detection, evaluation, and management of preoperative anaemia in the elective orthopaedic surgical patient: NATA guidelines. British Journal of Anaesthesia 106 (1): 13–22 (2011) doi: 10.1093/bja/aeq361

Greenky M1 et al (2012) Preoperative anaemia in total joint arthroplasty: is it associated with periprosthetic joint infection?

Hare G, Freedman J, Mazer C Review article: Risks of anaemia and related management strategies: can peri-operative blood management improve patient safety? *Can J Anaesth*(2013) 60:168-175

Kotze A , Carter LA and Scally AJ Effect of a patient blood management programme on preoperative anaemia, transfusion rate, and outcome after primary hip or knee arthroplasty: a quality improvement cycle *British Journal of Anaesthesia* 108 (6): 943–52 (2012) doi:10.1093/bja/aes135

Lasocki S, Krauspe R, von Heymann C, Mezzacasa A, Chainey S, Spahn DR. PREPARE: the prevalence of perioperative anaemia and need for patient blood management in elective orthopaedic surgery: A multicentre, observational study. *European Journal of Anaesthesiology* 2015;32:160-167.

Lawrence VA, Silverstein JH, Cornell JE, et al. Higher Hb level is associated with better early functional recovery after hip fracture repair. *Transfusion* 2003; 43: 1717–22

Litton E, Xiao J, Ho K . Safety and efficacy of intravenous iron therapy in reducing requirement for allogeneic blood transfusion: systematic review and meta-analysis of randomised clinical trials. *BMJ* 2013;347:f4822

Muñoz M, Gómez-Ramírez S, Campos A Iron Supplementation for perioperative anaemia in patient blood management. *European Medical Journal Haematology*. 2014;1:123-132.

Muñoz M, Gómez-Ramírez S, García-Erce J Implementing Patient Blood Management in major orthopaedic procedures: orthodoxy or pragmatism? *Blood Transfusion* 2014; 12: 146-9 DOI 10.2450/2014.0050-14

Miceli A, Romeo F et al. Preoperative anaemia increases mortality and postoperative morbidity after cardiac surgery. *Journal of Cardiothoracic Surgery* 2014, 9:137

Munoz M, Gomez-Ramirez S, Kozek-Langeneker S, Shander A, Richards T, Pavia J, Kehlet H, Acheson AG, Evans C, Raobaikady R, Javidroozi M, Auerbach M (2015) 'Fit to fly': overcoming barriers to pre-operative haemoglobin optimisation in surgical patients. *British Journal of Anaesthesia* 115 (1):15-24 (2015)

Musallam K, Tamim H, Richards T et al. Preoperative anaemia and postoperative outcomes in non-cardiac surgery: a retrospective cohort study. *Lancet* 2011; 378: 1396–407

Otto J et al. Association between preoperative haemoglobin concentration and cardiopulmonary exercise variables: a multicentre study. *Perioperative Medicine* 2013, 2:18

<http://www.perioperativemedicinejournal.com/content/2/1/18>

Richards T, Musallam M, Nassif J, Ghazeeri G, Seoud M, Gurusamy K, Jamali F. PLOS ONE: Impact of Pre-operative Anaemia and Blood Transfusion on Post-operative Outcomes in Gynaecological Surger. July 6, 2015 doi 10.1371/journal.pone.0130861

Sarhane K, Flores J et al. Preoperative Anaemia and Postoperative Outcomes in Immediate Breast Reconstructive Surgery: A Critical Analysis of 10,958 Patients from the ACS-NSQIP Database *Plastic Reconstructive Surgery Global Open* 2013; 1:e30; www.PRSGO.com

Scott Beattie W, Keyvan Karkouti K et al. Risk Associated with Preoperative Anaemia in Noncardiac Surgery: A Single-centre Cohort Study. *Anaesthesiology* 2009; 110:574–81

Tian Y, Dixon A, Gao H (2012) Emergency Hospital Admissions for ambulatory care-sensitive conditions: identifying the potential for reductions (Data Briefing) The Kings Fund. London.

Tinegate H, (2014) National Survey Red Cell Use. NHSBT

VetterT. Tighten Your Belts! Reduce Your Transfusion Costs with Preoperative Management of Anaemic Patients

International Anaesthesia Research Society 2013 Review course lectures: 51-57 www.iars.org