

according to Regulation (EC) No 1907/2006

va-Q-accu +04G

Revision date: 21.01.2020 Product code: VQT011 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

va-Q-accu +04G

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

heat / cold accumulator

The product is designed exclusively for industrial and commercial use.

Va-Q-accu +04G is an article according to the REACH regulation (EC) No. 1907/2006 and the OSHA Hazard Communication Standard, 29 CFR Subpart 1910.1200(c). For articles, the preparation of a safety data sheet or a CLP labeling is not required. This safety data sheet describes the filling of the va-Q-accu +04G.

## Uses advised against

The product is only to be used for the intended application.

## 1.3. Details of the supplier of the safety data sheet

Company name: va-Q-tec AG

Street: Alfred-Nobel-Straße 33
Place: D-97080 Wuerzburg
Telephone: +49 (0)931 35942 0

elephone: +49 (0)931 35942 0 Telefax: +49 (0)931 35942 10

e-mail: info@va-Q-tec.com
Internet: www.va-Q-tec.com
Responsible Department: Quality assurance:

PHONE: +49 (0)931 35942 0 FAX: +49 (0)931 35942 10 MAIL: info@va-Q-tec.com

**1.4. Emergency telephone** Poison centre Munich:

**number:** +49 (0)89 19240 (24h, german and english)

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

### 2.2. Label elements

## Regulation (EC) No. 1272/2008

### Hazard components for labelling

Hydrocarbons, C14-C15, n-alkanes, <2% aromatics

Signal word: Danger

Pictograms:



## **Hazard statements**

H304 May be fatal if swallowed and enters airways.

#### **Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006

va-Q-accu +04G

Revision date: 21.01.2020 Product code: VQT011 Page 2 of 8

P405 Store locked up.

P502 Refer to manufacturer or supplier for information on recovery or recycling.

## Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Additional advice on labelling

There is no requirement for the product to be specially labelled according to EC directives or the corresponding national laws

### 2.3. Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64771-72-8	Hydrocarbons, C14-C15, n-alkanes, <2% aromatics			90 - <= 100 %
	928-868-4		01-2119977112-40	
	Asp. Tox. 1; H304 EUH066			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

No special first aid measures necessary.

#### After inhalation

Exposure by the respiratory tract is unlikely in its present form.

### After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. If skin irritation occurs: Get medical advice/attention.

#### After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Do NOT induce vomiting. IF SWALLOWED: Immediately call a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Not hazardous to health when used as intended. Danger of aspiration.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

Full water jet





according to Regulation (EC) No 1907/2006

#### va-Q-accu +04G

Revision date: 21.01.2020 Product code: VQT011 Page 3 of 8

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

### 7.3. Specific end use(s)

heat / cold accumulator

The product is designed exclusively for industrial and commercial use.

Va-Q-accu +04G is an article according to the REACH regulation (EC) No. 1907/2006 and the OSHA Hazard Communication Standard, 29 CFR Subpart 1910.1200(c). For articles, the preparation of a safety data sheet or a CLP labeling is not required. This safety data sheet describes the filling of the va-Q-accu +04G.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Additional advice on limit values

Currently there are no exposure limits available.

### 8.2. Exposure controls

#### Protective and hygiene measures

Avoid contact with skin, eyes and clothes.

Remove contaminated, saturated clothing immediately.

When using do not eat or drink.

Wash hands before breaks and after work.

Wash hands before breaks and after work.



according to Regulation (EC) No 1907/2006

#### va-Q-accu +04G

Revision date: 21.01.2020 Product code: VQT011 Page 4 of 8

### Eye/face protection

Under normal usage conditions, not necessary.

At the place of work (in production and when refilling): Tightly sealed safety glasses.

#### Hand protection

Under normal usage conditions, not necessary.

At the place of work (in production and when refilling): Tested protective gloves must be worn.

Suitable material: NBR (Nitrile rubber). PVC (Polyvinyl chloride). NR (Natural rubber (Caoutchouc), Natural latex).

penetration time (maximum wearing period): >8h

Thickness of glove material: 0,35 mm NBR (Nitrile rubber). | 0,5 mm PVC (Polyvinyl chloride). | 0,5 mm NR (Natural rubber (Caoutchouc), Natural latex).

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Wear suitable protective clothing. Long-sleeved working clothes are recommended.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Within the recommended use and adequate ventilation no respiratory protection is necessary.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: blue

Odour: characteristic

Test method

pH-Value: not applicable

Changes in the physical state

Melting point:

2-8 °C

Initial boiling point and boiling range:

Sublimation point:

no data available

Softening point:

no data available

Pour point:

no data available

Flash point:

>110 °C

Sustaining combustion:

No data available

**Flammability** 

Solid: no data available

Gas: no data available

**Explosive properties** 

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature 205

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

**Oxidizing properties** 

Not oxidising.



according to Regulation (EC) No 1907/2006

va-Q-accu +04G

Revision date: 21.01.2020 Product code: VQT011 Page 5 of 8

Vapour pressure:no data availableVapour pressure:no data availableDensity:0,76 g/cm³Bulk density:no data availableWater solubility:practically insoluble

Solubility in other solvents

no data available

Partition coefficient: no data available
Viscosity / dynamic: no data available

Viscosity / kinematic: 2,2 mm²/s ASTM D 446

Flow time:

Vapour density:

no data available
Evaporation rate:

no data available
Solvent separation test:

no data available
solvent content:

no data available

## 9.2. Other information

no data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# 10.4. Conditions to avoid

No information available.

## 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

#### va-Q-accu +04G

Revision date: 21.01.2020 Product code: VQT011 Page 6 of 8

## STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation.

According to the European Waste Catalogue (EWC), allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

## List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

va-Q-accu +04GRevision date: 21.01.2020Product code: VQT011Page 7 of 8

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special measures are necessary.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

2004/42/EC (VOC): 0 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

## **Additional information**

Regulation (EC) No. 648/2004 (Detergents regulation): not applicable

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No 850/2004 [POP-Regulation]: not applicable

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Additional information** 

Observe in addition any national regulations!

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association MARPOL: Maritime Pollution Convention

GHS: Globally Harmonized System of Classification and Labelling of Chemicals



va-Q-tec AG

according to Regulation (EC) No 1907/2006

va-Q-accu +04G

Revision date: 21.01.2020 Product code: VQT011 Page 8 of 8

CLP: Classification, Labelling and Packaging

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

STOT: Specific Target Organ Toxicity

**UN: United Nations** 

OECD: Organisation for Economic Co-operation and Development

VOC: Volatile Organic Compounds

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

DNEL: Derived No Effect Level PNEC: Predicted No Effect Level

WGK: Wassergefährdungsklasse (German Water Hazard Class)

PBT: Persistent, bio-cumulative, toxic

vPvB: very persistent and very bio-cumulative ISO: International Organization for Standardization

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

	0 0 1 1
Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

The information given in this safety data sheet is to describe the product's safety regulations.

The information in this safety data sheet is intended to be a guidance for safe handling, use, processing, storage, transportation, disposal and in case of spillages.

The safety data sheet was generated upon information of pre-suppliers.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)