

York Teaching Hospital NHS Foundation Trust

Taking Organ Transplantation to 2020

In 2021/22, from 13 consented donors the Trust facilitated 11 actual solid organ donors resulting in 25 patients receiving a life-saving or life-changing transplant. Data obtained from the UK Transplant Registry.

In addition to the 11 proceeding donors there were 2 consented donors that did not proceed.

Best quality of care in organ donation


We acknowledge that the data presented in this section includes the period most significantly impacted by COVID-19 and appreciate that the COVID-19 pandemic affected Trusts/Boards differently across the UK.

Referral of potential deceased organ donors

Goal: Every patient who meets the referral criteria should be identified and referred to NHS Blood and Transplant's Organ Donation Service

Aim: There should be no purple on the chart

Aim: The Trust (marked with a cross) should fall within Bronze, Silver, or Gold



The Trust referred 58 potential organ donors during 2021/22. There were 7 occasions where potential organ donors were not referred.




Presence of Specialist Nurse for Organ Donation

Goal: A Specialist Nurse for Organ Donation (SNOD) should be present during every organ donation discussion with families

Aim: There should be no purple on the chart

Aim: The Trust (marked with a cross) should fall within Bronze, Silver, or Gold



A SNOD was present for 17 organ donation discussions with families during 2021/22. There was 1 occasion where a SNOD was not present.

Why it matters

- If suitable patients are not referred, the patient's decision to be an organ donor is not honoured or the family does not get the chance to support organ donation.
- The consent rate in the UK is much higher when a SNOD is present.
- The number of patients receiving a life-saving or life-changing solid organ transplant in the UK is increasing but patients are still dying while waiting.

Vaulaskius Aust Tha Haushau*					
Yorkshire And The Humber*	UK				
113	1,397				
231	3,410				
36	422				
472	6,269				
2,114,573 (39%)	27,751,289 (43%)				
rities					
ľ	231 36 472				



Further information

Further information on potential donors after brain death (DBD) and potential donors after circulatory death (DCD) at the Trust are shown below, including a UK comparison. Data obtained from the Potential Donor Audit (PDA).

Key numbers, rates and comparison with UK data, 1 April 2021 - 31 March 2022										
	DBD			DCD			Deceased donors			
	7	T rust 19	UK 1919	Trust 48		UK 5198	Trust 65		UK 6767	
Patients meeting organ donation referral criteria ¹		18	1894		42	4700		58	6258	
Referred to Organ Donation Service		10	1094		42	4700		36		
Referral rate %	В	95%	99%	В	88%	90%	В	89%	92%	
Neurological death tested		12	1530							
Testing rate %	В	63%	80%							
Eligible donors ²		11	1373		27	2972		38	4345	
Family approached		10	1239		8	1445		18	2684	
Family approached and SNOD present		10	1188		7	1306		17	2494	
% of approaches where SNOD present	G	100%	96%	В	88%	90%	В	94%	93%	
Consent ascertained		8	861		4	902		12	1763	
Consent rate %	В	80%	69%	В	50%	62%	В	67%	66%	
- Expressed opt in		6	522		3	550		9	1072	
- Expressed opt in %		100%	95%		75%	90%		90%	92%	
- Deemed Consent		2	260		1	267		3	527	
- Deemed Consent %		67%	63%		50%	56%		60%	59%	
- Other*		0	78		0	83		0	161	
- Other* %		N/A	66%		N/A	47%		N/A	55%	
Actual donors (PDA data)		8	787		3	602		11	1389	
% of consented donors that became actual donors		100%	91%		75%	67%		92%	79%	

¹ DBD - A patient with suspected neurological death

Note that a patient that meets both the referral criteria for DBD and DCD organ donation is featured in both the DBD and DCD data but will only be counted once in the deceased donors total

Gold Silver Bronze Amber Red

For further information, including definitions, see the latest Potential Donor Audit report at www.odt.nhs.uk/statistics-and-reports/potential-donor-audit/

DCD - A patient in whom imminent death is anticipated, ie a patient receiving assisted ventilation, a clinical decision to withdraw treatment has been made and death is anticipated within 4 hours

² DBD - Death confirmed by neurological tests and no absolute contraindications to solid organ donation

DCD - Imminent death anticipated and treatment withdrawn with no absolute contraindications to solid organ donation

^{*} Includes patients where nation specific deemed criteria are not met and the patient has not expressed a donation decision in accordance with relevant legislation