

European Federation for Immunogenetics Accreditation Programme

CERTIFIES THAT

NHS Blood and Transplant Histocompatibility & Immunogenetics NEWCASTLE-UPON-TYNE - UNITED KINGDOM (03-GB-004.996)

WITH EFI DIRECTOR(S)

Dr. Arash AKBARZAD-YOUSEFI

HAS MET THE REQUIREMENTS SPECIFIED IN THE EFI STANDARDS FOR HISTOCOMPATIBILITY & IMMUNOGENETICS TESTING VERSION 8.0

This Certificate is valid from 26 October 2023 to 26 October 2024

Clinical Categories:		Technical Categories:		Technical Categories:	
Renal and/or Pancreatic Transplantation:		Class I Typing by: CDC	-	HLA Antibody Detection by:	
Recipient Typing	Yes	Flow cytometry	: <u>-</u> :	CDC	_
Antibody Screening	Yes	DNA (low)	Yes	Flow cytometry	-
Antibody Identification	Yes	DNA (high)	Yes	ELISA	-
Donor Typing	Yes	PCR-SSP	Yes	Bead array	Yes
Cross-matching	Yes	PCR-SSO	-	*	
3 (days 60 per 6		SBT Sanger	-	TTT A A II.	
0.1 0.11.10		SBT NGS	Yes	HLA Antibody	
Other Solid Organ				Identification by:	
Transplantation:	37	Class II Tagaing Inc		CDC	-
Recipient Typing	Yes	Class II Typing by:		Flow cytometry	-
Antibody Screening	Yes	CDC	-	ELISA	-
Antibody Identification	Yes	DNA (low)	Yes	Bead array	Yes
Donor Typing	Yes	DNA (high)	Yes		
Cross-matching	Yes	PCR-SSP	Yes	HLA Crossmatching by:	
		PCR-SSO	-	CDC	Yes
		SBT Sanger	-	Flow cytometry	Yes
Haematopoietic Stem Cell		SBT NGS	Yes	ELISA	-
Transplantation:				Bead array	_
Donor Registry Typing	-	HNA Typing:		and the second s	
Related Transplantation	Yes				
Unrelated Transplantation	Yes	HPA Typing:	-	HNA antibodies:	-
Cord Blood Typing	Yes	MICA Typing:	_	HPA antibodies:	_
Cross-matching	-				
Chimaerism and engraftment	-	KIR Typing:	-	MICA antibodies	-
monitoring					
Disease Association Studies:	Yes				
Transfusion:	Yes				

EFI Commissioner Approval Date: 22-09-2023

Amlittle

Dr. Ann-Margaret Little President 3. macayacas

<u>Dr. Blanka Vidan-Jeras</u> Chair, Accreditation Committee