



Reference Panel 2 Profile

Blood and Transplant

NHSBT REAGENTS	Product :	Panel 2 in Alsevers	Lot No. : R211 3306	Expiry Date 2024.10.17
		Panel 2 in Cellstab	Lot No. : R212 3306	

Patient's Name	Requestor	Hematos Ref No.	Tested by
Date of Birth	Hosp no	Sample No.	Date Tested

Unless otherwise indicated, all cells are positive for Kp<sup>b</sup> and Lu<sup>b</sup> and negative for Wr<sup>a</sup> and Co<sup>b</sup>.

	Rh	C	D	E	c	e	C <sup>w</sup>	M	N	S	s	P1	Lu <sup>a</sup>	K	k	Kp <sup>a</sup>	Le <sup>a</sup>	Le <sup>b</sup>	Fy <sup>a</sup>	Fy <sup>b</sup>	Jk <sup>a</sup>	Jk <sup>b</sup>	Other					
1	R2RZ	+	+	+	+	0	0	+	0	+	0	3	0	0	+	0	0	+	0	+	+	0						
2	R2RZ	+	+	+	+	0	0	+	+	0	+	0	0	0	+	0	0	+	+	0	0	+	HLA+					
3	R2R2	0	+	+	+	0	0	+	+	0	+	4	0	+	0	0	0	+	0	+	+	0						
4	R2r <sup>ii</sup>	0	+	+	+	0	0	+	0	+	0	3	0	+	+	0	+	0	+	0	0	+						
5	R2R2	0	+	+	+	0	0	+	+	0	+	0	0	0	+	+	0	0	+	0	+	0	Do(a-b+)					
6	R2R2	0	+	+	+	0	0	0	+	0	+	2	+	0	+	0	0	+	0	+	+	0						
7	R2R2	0	+	+	+	0	0	0	+	0	+	5	0	0	+	+	+	0	+	+	0	+	HLA+					
8	R2R2	0	+	+	+	0	0	0	+	+	0	1	0	0	+	0	0	+	0	w	+	0	Do(a+b+)					
9	R2r <sup>ii</sup>	0	+	+	+	0	0	+	0	+	+	4	0	0	+	0	0	+	0	+	0	+						
10	R2R2	0	+	+	+	0	0	0	+	+	+	0	0	+	+	0	+	0	+	0	+	+						
Reagent														DAT Profile		Anti-IgG		IgA		IgM		C3c		C3d		Ctrl		
Lot No.														Result														

(Template Version 01/04)