



Rolling 12 month numbers of DBD and DCD donors in the UK March 2008 - April 2015




Number of audited deaths, mechanically ventilated patients and neurological death suspected patients by month


1 April 2013 – 30 April 2015




Summary of potential for DBD donation, 1 April 2013 – 30 April 2015




Summary of potential for DBD donation, 1 April 2013 – 30 April 2015




Summary of potential for DBD donation, 1 April 2013 – 30 April 2015



monthly consent rate for DBD




Suspected neurological death and referral 1 April 2013 – 30 April 2015




DBD pathway

Domain	Monthly impact	Actions
Falling DBD pool	35 / month	Cause as yet uncertain. ? ACCORD style revision to PDA
Increase DNC rate to 90% • 30 / month	30 / month, although benefits unlikely to exceed 5 additional donors	DBD toolkit CLOD and ICM trainees courses
Coronial refusals		Coroners' project
Family refusals ODR over-rides 100% SN-OD involvement	35 refusals monthly (4 – 5 ODR over-rides). 100% SN-OD involvement \equiv 3-4 additional DBD donors	Over-ride strategy Collaborative requesting Designated requestor pilots (Public behaviour change)


Summary of potential for DCD donation, 1 April 2013 – 30 April 2015




Summary of potential for DCD donation, 1 April 2013 – 30 April 2015




Summary of potential for DCD donation, 1 April 2013 – 30 April 2015



**%eligible DCD donors approached
monthly figures and 12 month trend line**




Summary of potential for DCD donation, 1 April 2013 – 30 April 2015




Consent rates for DCD


monthly figures and 12 month trend line



DCD donor pathway from consent to utilisation



DCD donor pathway from consent to utilisation



- Fall in incidence of imminent death following treatment withdrawal
 - PDA not designed to offer explanation
 - ?? Require ACCORD style enquiry
 - Cannot exclude impact of triage
- No deterioration in referral or family approach, but 20% of eligible donors not referred
- Small fall in DCD consent rate
- Fall in offering / acceptance
 - Poor data

DCD pathway

Domain	Monthly impact	Actions
Falling DCD pool	80 patients	Cause as yet uncertain. ? ACCORD style revision to PDA
Referral	Increasing DCD referral to 90%: 40 – 50 referrals, ≡ 4-5 donors	Considerable uncertainty over donation potential of non- referred group; need more work
Coronial refusals		Coroners' project
Family refusals ODR over-rides 100% SN-OD involvement	70 refusals (12-13 ODR over-rides) 100% SN-OD involvement ≡ 7-8 actual DCD donors	Over-ride strategy Collaborative requesting Designated requestor pilots (public behaviour change)
Falling acceptance rates	Not quantified	Develop clearer measures to track and report changes. Close liaison with NCLOU