

ID Panel Profile



1434



Blood and Transplant

NHSBT REAGENTS Panel 1

| | | | | | |
|-----------------------|-----------|----------------------------------|-----------|--------------------------|-----------|
| Product | Lot No. | Product | Lot No. | Product | Lot No. |
| ID Panel in Alsevers | R144 3580 | ID Panel Papainised in Alsevers | R154 3580 | ID Panel in LISP | R146 3580 |
| ID Panel in CellStab | R143 3580 | ID Panel Papainised in CellStab | R153 3580 | Expiry Date : 2025.02.20 | |
| ID Panel in CellMedia | R163 3580 | ID Panel Papainised in CellMedia | R173 3580 | | |

| | | | |
|----------------|----------|------------|----------------|
| Patient's Name | Ref. No. | Sample No. | Conclusion |
| D.O.B. | | | Tested by Date |

Unless otherwise indicated, all cells are positive for Kp^b and Lu^b and negative for Wr^a and Co^b.

*Cell 6 is also Do(a-b+)

Instructions for use can be found at <http://www.blood.co.uk/reagents>

EC REP Quality First International OÜ, Laki 30, 12915 Tallinn, Estonia

| | Rh | C | D | E | c | e | C ^w | M | N | S | s | P1 | Lu ^a | K | k | Kp ^a | Le ^a | Le ^b | Fy ^a | Fy ^b | Jk ^a | Jk ^b | Other | | | | | | | | | | | | |
|---------|--|---|---|---|---|---|----------------|---|---|---|---|----|-----------------|---|---|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------|--|--|--|--|--|--|--|--|--|--|--|--|
| 1 | R ₁ ^w R ₁ | + | + | 0 | 0 | + | + | 0 | + | 0 | + | 4 | 0 | 0 | + | 0 | + | 0 | + | 0 | 0 | + | | | | | | | | | | | | | |
| 2 | R ₁ R ₁ | + | + | 0 | 0 | + | 0 | + | 0 | + | 0 | 1 | 0 | + | + | 0 | 0 | + | 0 | + | + | 0 | Do(a+b+) | | | | | | | | | | | | |
| 3 | R ₂ R ₂ | 0 | + | + | + | 0 | 0 | 0 | + | 0 | + | 0 | 0 | 0 | + | 0 | 0 | + | + | 0 | 0 | + | | | | | | | | | | | | | |
| 4 | r'r | + | 0 | 0 | + | + | 0 | 0 | + | + | 0 | 2 | 0 | 0 | + | 0 | 0 | + | 0 | + | 0 | + | Cob+ | | | | | | | | | | | | |
| 5 | r''r | 0 | 0 | + | + | + | 0 | + | 0 | + | 0 | 1 | 0 | 0 | + | 0 | + | 0 | 0 | + | + | 0 | HLA+ | | | | | | | | | | | | |
| 6 | rr | 0 | 0 | 0 | + | + | 0 | + | 0 | 0 | + | 1 | 0 | + | 0 | 0 | 0 | + | 0 | + | 0 | + | *HLA+ | | | | | | | | | | | | |
| 7 | rr | 0 | 0 | 0 | + | + | 0 | 0 | + | 0 | + | 4 | 0 | + | + | 0 | + | 0 | + | 0 | 0 | + | Cob+ | | | | | | | | | | | | |
| 8 | rr | 0 | 0 | 0 | + | + | 0 | 0 | + | 0 | + | 4 | 0 | 0 | + | + | 0 | + | 0 | + | 0 | + | | | | | | | | | | | | | |
| 9 | rr | 0 | 0 | 0 | + | + | 0 | 0 | + | + | 0 | 0 | 0 | 0 | + | 0 | 0 | + | + | 0 | + | 0 | | | | | | | | | | | | | |
| 10 | rr | 0 | 0 | 0 | + | + | 0 | + | 0 | 0 | + | 1 | + | 0 | + | 0 | 0 | + | + | 0 | + | 0 | Lub- | | | | | | | | | | | | |
| Reagent | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lot No. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |