



European Federation for Immunogenetics Accreditation Programme

CERTIFIES THAT
Histocompatibility and Immunogenetics
NHSBT Colindale
LONDON - UNITED KINGDOM (03-GB-002.998)

WITH EFI DIRECTOR(S)
Dr. Colin BROWN

HAS MET THE REQUIREMENTS SPECIFIED IN THE EFI STANDARDS
FOR HISTOCOMPATIBILITY & IMMUNOGENETICS TESTING VERSION 8.1

This Certificate is valid from 17 December 2025 to 17 December 2026

Clinical Categories:

Renal and/or Pancreatic Transplantation:

Recipient Typing -
Antibody Detection -
Antibody Identification -
Donor Typing -
Crossmatching -

Other Solid Organ Transplantation:

Recipient Typing -
Antibody Detection -
Antibody Identification -
Donor Typing -
Crossmatching -

Haematopoietic Stem Cell Transplantation:

Donor Registry Typing **Yes**
Related Transplantation **Yes**
Unrelated Transplantation -
Cord Blood Typing **Yes**
Antibody Detection -
Antibody Identification -
Crossmatching -
Haemopoietic Chimaerism and Engraftment (HCE) Monitoring -

Disease Association Studies: **Yes**
Transfusion: **Yes**

Technical Categories:

HLA Class I Typing by:

CDC -
Flow cytometry -
DNA (low res.) -
DNA (high res.) **Yes**
PCR-SSP/RT qPCR **Yes**
PCR-SSO -
SBT Sanger -
SBT NGS **Yes**

HLA Class II Typing by:

CDC -
DNA (low res.) -
DNA (high res.) **Yes**
PCR-SSP/RT qPCR -
PCR-SSO -
SBT Sanger -
SBT NGS **Yes**

MICA Typing by:

PCR-SSP/RT qPCR -
PCR-SSO -
SBT Sanger -
SBT NGS -

KIR Typing by:

PCR-SSP/RT qPCR -
PCR-SSO -
SBT Sanger -
SBT NGS -

Technical Categories:

HLA Antibody Detection by:

CDC -
Flow cytometry -
ELISA -
Bead array **Yes**

HLA Antibody Identification by:

CDC -
Flow cytometry -
ELISA -
Bead array **Yes**

HLA Crossmatching by:

CDC -
Flow cytometry -
ELISA -
Bead array -

MICA Antibodies by:

Flow cytometry -
ELISA -
Bead array -

HPA Typing:

HPA Typing: **Yes**

HPA Antibodies:

HPA Antibodies: -

HNA Typing:

HNA Typing: -

HNA Antibodies:

HNA Antibodies: -

Dr. Marco Andreani
EFI President

EFI Commissioner Approval Date: 18-02-2026

Dr. Blanka Vidan-Jeras
EFI Accreditation Committee Chair